

June 7, 2012

Patrick Busko, Community Association Manager  
Community Management Associates  
1465 Northside Drive, Suite 128  
Atlanta, GA 30318

Dear Patrick:

Per your request, I have re-inspected and evaluated the trees in Phases 1, 2, and 3 and in the Park area at the Gates at Bouldercrest Condominium complex. I completed the initial inspection in 2007 and a re-inspection in 2009. Attached are spreadsheets and maps of the trees with updated information.

In my initial report, I had recommended removal of 69 trees in Phases 1, 2 and 3. At the time of my 2009 re-inspection, 57 of the trees recommended for removal had been removed and 6 not recommended for removal had been removed for a total of 63 trees. Since the 2009 inspection, 15 additional trees have been removed. These included trees that had been originally recommended for removal as well as some trees that apparently died (Kwanzan cherries). During this inspection, I inventoried and located the new trees that have been planted as part of the replacement plan. There have been approximately 60 new trees planted since the first trees were removed all of which are understory species of trees. The species, size, and condition of the trees are denoted on the spreadsheets.

Regarding the park trees, I tallied and located 21 trees that are declining or have defects. I have recommended removal of 5 of the trees and a re-inspection of the others in 2 years.

The advice I have given and recommendations I have made to you in no way guarantee that any of the trees at the Gates at Bouldercrest will not fail. Trees are living organisms that are subject to the many elements of nature, which means they can fail at any time.

Please contact me for questions or further assistance.

Sincerely,

Chris Barneycastle, CA, RF

Enclosures

LISTING OF TREES IN PHASE ONE OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 1 of 2

| Tree # | Species             | DBH/Size         | Condition/Description  | Current Status-Recommendations                                |
|--------|---------------------|------------------|--|---|
| 1      | <b>Dogwood</b>      | <b>2"</b>        | <b>Co-dominant stems at 2'.</b>  | <b>Re-inspect in 2 years.</b>                                 |
| 2      | <b>Redbud</b>       | <b>3"</b>        | <b>Co-dominant stems at 3'.</b>  | <b>Re-inspect in 2 years.</b>                                 |
| 3      | Red maple           | 6" (8") (10.5")  | Okay for now.  | Re-inspect in 2 years.  |
| 4      | <b>Chalk maple</b>  | <b>2"</b>        | <b>Okay for now.</b>   | <b>Re-inspect in 2 years.</b>                                 |
| 5      | Red oak             | 5 (7") (12.5")   | Okay for now. 2' feet two water meters. Encroaching house. 2' from roof.   | Re-inspect in 2 years.  |
| 6      | Red oak             | 4" (5.5") (8.5") | Okay for now.  | Re-inspect in 2 years.  |
| 7      | Red oak             | 5" (7.5") (13")  | Okay for now. <i>Exposed roots between tree and house.</i>                 | Re-inspect in 2 years.  |
| 8      | Red oak             | 6" (9.5") (15")  | Okay for now. <i>Encroaching house. 1' from vent.</i>                      | Re-inspect in 2 years.  |
| 9      | Red oak             | 5" (7") (9.5")   | Okay for now.  | Re-inspect in 2 years.  |
| 10     | Red oak             | 4" (9")          | Okay for now.  | Re-inspect in 2 years.  |
| 11     | Red oak             | 4" (7") (11")    | Okay for now. 2' from water meter. <i>Encroaching house.</i>               | Re-inspect in 2 years. <i>Prune.</i>                          |
| 12     | Red oak             | 4" (5") (8")     | Adequate growing space. Some tipping of lower limbs.                       | Corrective pruning. ( <i>Pruned</i> )                         |
| 13     | <b>Crape myrtle</b> | <b>12'</b>       | <b>3 co-dominant stems at ground.</b>                                      | <b>Re-inspect in 2 years.</b>                                 |
| 14     | <b>Crape myrtle</b> | <b>12'</b>       | <b>2 co-dominant stems at ground.</b>                                      | <b>Re-inspect in 2 years.</b>                                 |
| 15     | <b>Crape myrtle</b> | <b>12'</b>       | <b>3 co-dominant stems at ground.</b>                                      | <b>Re-inspect in 2 years.</b>                                 |
| 16     | Red maple           | 5" (6.5") (9")   | Okay for now.  | Re-inspect in 2 years.  |
| 17     | Red maple           | 4" (5.5") (8")   | Okay for now. <i>Damage to surface roots.</i>                              | Re-inspect in 2 years.  |
| 18     | Red maple           | 4" (5.5") (8")   | Okay for now.  | Re-inspect in 2 years.  |
| 19     | Red maple           | 5" (7") (9.5")   | 1' from BellSouth box. Okay for now. <i>Vertical cracks from freezing.</i> | Re-inspect in 2 years. <i>Broken branch. Prune.</i>           |
| 20     | Red maple           | 5" (6.5") (9")   | Adequate growing space. Okay. <i>Exposed roots w/mower damage.</i>         | Leave.  |
| 21     | Red maple           | 5" (6.5") (9.5") | Okay for now.  | Re-inspect in 2 years.  |
| 22     | Red maple           | 5" (6.5") (8.5") | 3' from driveway. Okay for now. <i>Some exposed roots. Girdling root.</i>  | Re-inspect in 2 years. <i>Remove girdling root.</i>           |
| 23     | <b>Crape myrtle</b> | <b>12'</b>       | <b>3 co-dominant stems at ground.</b>                                      | <b>Re-inspect in 2 years.</b>                                 |
| 24     | Red maple           | 4" (5.5") (6.5") | Okay for now. <i>2 co-dominant stems at 4'.</i>                            | Re-inspect in 2 years. <i>Prune smaller stem (3") Pruned.</i> |
| 25     | Crape myrtle        | 5 stems          | 10' in height. Okay. <i>15' in height.</i>                                 | Leave. <i>Pruned.</i>   |

LISTING OF TREES IN PHASE ONE OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 2 of 2

| Tree # | Species        | DBH/Size      | Description/Condition                           | Current Status-Recommendations |
|--------|----------------|---------------|---|--------------------------------|
| 26     | <b>Dogwood</b> | <b>3"</b>     | <b>Co-dominant stems at 1'.</b>                 | <b>Re-inspect in 2 years.</b>  |
| 27     | Crape myrtle   | 2 stems       | 10' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 28     | Crape myrtle   | 3 stems       | 10' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 29     | Crape myrtle   | 4 stems       | 12' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 30     | Crape myrtle   | 3 stems       | 12' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 31     | Crape myrtle   | 6 stems       | 12' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 32     | Crape myrtle   | 5 stems       | 12' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 33     | <b>Redbud</b>  | <b>2"</b>     | <b>Co-dominant stems at 2'.</b>                 | <b>Re-inspect in 2 years.</b>  |
| 34     | Crape myrtle   | 5 stems       | 12' in height. Okay. <i>15' in height.</i>      | Leave. <i>Pruned.</i>          |
| 35     | Trident maple  | 6"            | Co-dominant stems.                              | Re-inspect in 2 years.         |
| 36     | Redbud         | 3" (5") (8")  | Okay for now. <i>4 co-dominant stems at 3'.</i> | Re-inspect in 2 years.         |
| 37     | Kwansan cherry | 4" (5") (11") | Okay for now. <i>4 co-dominant stems at 3'.</i> | Re-inspect in 2 years.         |
| 38     | Crape myrtle   | 3 stems       | 8' in height. Okay. 12' in height.              | Leave.                         |
| 39     | Crape myrtle   | 2 stems       | 8' in height. Okay. 15' in height.              | Leave.                         |
| 40     | <b>Dogwood</b> | <b>3"</b>     | <b>Co-dominant stems at 1'.</b>                 | <b>Re-inspect in 2 years.</b>  |

Notes - DBH is diameter at breast height measured at 4.5 feet above ground. *February 2009 updates are in red italics. May 2012 updates in blue.*  
**New trees are in bold (diameter is caliper which is measured at 6" above ground).**



MAP DEPICTING LOCATION OF TREES AT THE GATES AT BOULDERCREST  
PHASE 1 (MAY 2012)



Scale – 1 inch equals approximately 50 feet. Red numbers indicate trees to be removed.



LISTING OF TREES IN PHASE TWO OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 1 of 3

| Tree # | Species        | DBH/Size          | Condition/Description   | Current Status - Recommendations                            |
|--------|----------------|-------------------|---|---|
| 1      | Silver maple   | 7" (10") (13")    | Okay for now. Adequate growing space. 3 co-dominant stems at 3'.                | Re-inspect in 2 years.                                      |
| 2      | Redbud         | 4.5"              | Co-dominant stems at 4'.  | Re-inspect in 2 years.                                      |
| 3      | Silver maple   | 5" (6") (8.5")    | Okay for now. Adequate growing space. <i>Bark cracking at base.</i>             | Re-inspect in 2 years.                                      |
| 4      | Dogwood        | 3"                | Co-dominant stems at 2'.  | Re-inspect in 2 years.                                      |
| 5      | Red maple      | 5" (6") (8.5")    | Okay for now. <i>3 co-dominant stems at 5'. Exposed, damaged roots.</i>         | Re-inspect in 2 years. <i>Remove. Remove girdling root.</i> |
| 6      | Crape myrtle   | 12'               | 4 co-dominant stems at ground.  | Re-inspect in 2 years.                                      |
| 7      | Silver maple   | 6" (9") (13")     | Okay for now. 2 co-dominant stems at 2'. <i>Exposed roots, mower damage.</i>    | Re-inspect in 2 years.                                      |
| 8      | Red maple      | 4" (6") (8.5")    | Okay for now. <i>2 co-dominant stems at 5'.</i>                                 | Re-inspect in 2 years. <i>Prune smaller stem. Pruned.</i>   |
| 9      | Crape myrtle   | 2 stems           | 10' in height. Okay. <i>10' in height.</i>                                      | Leave.  |
| 10     | Crape myrtle   | 4 stems           | 10' in height. Okay. <i>10' in height.</i>                                      | Leave.  |
| 11     | Red maple      | 4" (5") (6.5")    | Okay for now.   | Leave.  |
| 12     | Crape myrtle   | 3 stems           | Encroaching house. <i>15' in height. Blocking security light.</i>               | Remove. <i>Not removed.</i>                                 |
| 13     | Hawthorn       | 2"                | Co-dominant stems at 3'.  | Re-inspect in 2 years.                                      |
| 14     | Silver maple   | 6" (7") (9.5")    | Okay for now. 2 co-dominant stems at 2'. <i>One main stem.</i>                  | Prune smaller stem. <i>Pruned.</i>                          |
| 15     | Dogwood        | 3"                | Dead.   | Remove.   |
| 16     | Silver maple   | 4" (6.5") (9.5")  | Okay for now. 2' from water meter.  | Re-inspect in 2 years.                                      |
| 17     | Silver maple   | 6" (7") (10")     | Okay for now. 3 co-dominant stems at 3'. <i>Next to water meter. 2 co-doms.</i> | Prune smallest stem. <i>Pruned. Re-inspect in 2 years.</i>  |
| 18     | Hornbeam       | 3"                | Co-dominant stems at 3'.  | Re-inspect in 2 years.                                      |
| 19     | Red maple      | 3" (4.5") (7")    | Okay for now. <i>Encroaching house.</i>   | Re-inspect in 2 years. <i>Prune.</i>                        |
| 20     | Red maple      | 4" (6") (8")      | Okay for now. 3 co-dominant stems at 4'.  | Re-inspect in 2 years.                                      |
| 21     | Yoshino cherry | 2"                | Good condition  | Re-inspect in 2 years.                                      |
| 22     | Willow oak     | 4" (6") (10")     | Okay for now. <i>Encroaching house.</i>   | Re-inspect in 2 years. <i>Prune.</i>                        |
| 23     | Hornbeam       | 5"                | Co-dominant stems at 3'.  | Re-inspect in 2 years.                                      |
| 24     | Silver maple   | 4" (5") (7")      | Okay for now.   | Re-inspect in 2 years.                                      |
| 25     | Crape myrtle   | 12'               | 3 stems at ground.  | Re-inspect in 2 years.                                      |
| 26     | Silver maple   | 6" (9") (11")     | 2 co-dominant stems at 4'. Adequate growing space.                              | Prune smallest stem. <i>Prune smallest stem. Pruned.</i>    |
| 27     | Dogwood        | 2"                | Good condition  | Re-inspect in 2 years.                                      |
| 28     | River birch    | 4" & 4"           | 2 co-dominant stems at ground.  | Re-inspect in 2 years.                                      |
| 29     | Silver maple   | 6" (5.5") (10.5") | 2 co-dominant stems at 1'. Okay for now. <i>Exposed, damaged roots.</i>         | Prune smaller stem. <i>Pruned. 2 co-doms at 7'.</i>         |

LISTING OF TREES IN PHASE TWO OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 2 of 3

| Tree # | Species      | DBH/Size        | Condition/Description   | Current Status - Recommendations                           |
|--------|--------------|-----------------|---|--|
| 30     | Crape myrtle | 12'             | 3 co-dominant stems at ground.  | Re-inspect in 2 years.                                     |
| 31     | Silver maple | 7" (6") (8")    | 2 co-dominant stems at 2'. <i>2 co-dominant stems at 7'.</i>                | Prune smaller stem. <i>Pruned.</i>                         |
| 32     | Silver maple | 4" (5.5") (8")  | 2 co-dominant stems at 2'. <i>Bark cracked at base. Sprig of mistletoe.</i> | Prune smaller stem. <i>Remove. Pruned.</i>                 |
| 33     | River birch  | 4"              | Co-dominant stems at 4'.  | Re-inspect in 2 years.                                     |
| 34     | Red maple    | 2.5"            | Good condition  | Re-inspect in 2 years.                                     |
| 35     | Dogwood      | 3"              | Good condition  | Re-inspect in 2 years.                                     |
| 36     | Hornbeam     | 3"              | Good condition  | Re-inspect in 2 years.                                     |
| 37     | Crape myrtle | 3 stems         | 12' in height. Okay. <i>15' in height.</i>                                  | Leave. <i>Pruned.</i>                                      |
| 38     | Crape myrtle | 4 stems         | 6' in height. Okay. <i>8' in height.</i>                                    | Leave. <i>Pruned.</i>                                      |
| 39     | Crape myrtle | 3 stems         | 10' in height. Okay. <i>15' in height.</i>                                  | Leave. <i>Pruned.</i>                                      |
| 40     | Hawthorn     | 2.5"            | Good condition  | Re-inspect in 2 years.                                     |
| 41     | Silver maple | 5" (5.5") (8")  | 2 co-dominant stems at 3'. 1' from Bellsouth box. Adequate space.           | Prune smaller stem. <i>Pruned.</i>                         |
| 42     | Dogwood      | 3"              | Good condition  | Re-inspect in 2 years.                                     |
| 43     | Red maple    | 5" (6.5") (10") | Okay for now. <i>Exposed, damaged roots. Embedded girdling roots.</i>       | Re-inspect in 2 years. <i>Remove. Remove.</i>              |
| 44     | Redbud       | 5"              | Co-dominant stems at 4'.  | Re-inspect in 2 years.                                     |
| 45     | Hornbeam     | 3"              | Good condition  | Re-inspect in 2 years.                                     |
| 46     | Red maple    | 3" (5") (9")    | Okay for now. <i>1 large exposed buttress root - damaged.</i>               | Re-inspect in 2 years.                                     |
| 47     | Silver maple | 4" (5") (8")    | 2 co-dominant stems at 3'. <i>1 main stem.</i>                              | Remove smaller stem. <i>Pruned.</i>                        |
| 48     | Crape myrtle | 12'             | 3 co-dominant stems at ground.  | Re-inspect in 2 years.                                     |
| 49     | Red maple    | 5" (7") (10")   | 2 co-dominant stems at 5'. Okay for now. <i>Exposed, damaged roots.</i>     | Re-inspect in 2 years. .                                   |
| 50     | Dogwood      | 3"              | Good condition  | Re-inspect in 2 years.                                     |
| 51     | Silver maple | 6" (6") (9")    | 2 co-dominant stems at 2'. 3 co-dominant stems at 5'.                       | Remove smaller stem. <i>Pruned. Re-inspect in 2 years.</i> |
| 52     | Red maple    | 5" (6.5") (9")  | Okay for now. <i>2 co-dominant stems at 6'. 1 main stem.</i>                | Re-inspect in 2 years. <i>Prune smaller stem. Pruned.</i>  |
| 53     | Red maple    | 5" (6.5") (9")  | Okay for now. <i>4 co-dominant stems at 6'.</i>                             | Re-inspect in 2 years.                                     |
| 54     | Dogwood      | 3" (3.5") (5")  | 2 co-dominant stems at 2'. Okay.  | Leave.   |
| 55     | Red maple    | 4" (5") (8")    | Okay for now. Behind utility boxes. <i>3 co-dominant stems at 6'.</i>       | Re-inspect in 2 years.                                     |
| 56     | Red maple    | 5" (6") (8")    | 2 co-dominant stems at 5'.  | Prune smaller stem. <i>Pruned.</i>                         |

LISTING OF TREES IN PHASE TWO OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 3 of 3

| Tree # | Species              | DBH/Size       | Condition/Description   | Current Status - Recommendations |
|--------|----------------------|----------------|---|----------------------------------|
| 57     | <b>Dogwood</b>       | 3"             | <b>Good condition.</b>  | <b>Re-inspect in 2 years.</b>    |
| 58     | Silver maple         | 4" (5") (7.5") | Okay for now. 2 co-dominant stems at 6'.                        | Re-inspect in 2 years.           |
| 59     | <b>Redbud</b>        | 2"             | <b>Good condition.</b>  | <b>Re-inspect in 2 years.</b>    |
| 60     | <b>Crape myrtle</b>  | 9'             | <b>3 co-dominant stems at ground.</b>                           | <b>Re-inspect in 2 years.</b>    |
| 61     | Red maple            | 4" (6") (8")   | 15' from tree #66. 2' from driveway. 2 co-dominant stems at 6'. | Re-inspect in 2 years.           |
| 62     | <b>Dogwood</b>       | 4"             | <b>Co-dominant stems at 2'.</b>                                 | <b>Re-inspect in 2 years.</b>    |
| 63     | <b>Trident maple</b> | 4"             | <b>Good condition.</b>  | <b>Re-inspect in 2 years.</b>    |
| 64     | <b>Dogwood</b>       | 2"             | <b>Good condition.</b>  | <b>Re-inspect in 2 years.</b>    |
| 65     | <b>Trident maple</b> | 4"             | <b>Good condition.</b>  | <b>Re-inspect in 2 years.</b>    |

Notes - DBH is diameter at breast height measured at 4.5 feet above ground. *February 2009 are in red italics.* May 2012 updates in blue.

**New trees are in bold (diameter is caliper which is measured at 6" above ground).**

MAP DEPICTING LOCATION OF TREES AT THE GATES AT BOULDERCREST  
PHASE 2



Scale – 1 inch equals approximately 60 feet. Red numbers indicate trees to be removed.



LISTING OF TREES IN PHASE THREE OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 1 of 2

| Tree # | Species             | DBH/Size       | Condition/Description  | Current Status-Recommendations                                      |
|--------|---------------------|----------------|--|---|
| 1      | Red maple           | 4" (6.5") (9") | Okay for now. Adequate growing space. <i>Exposed, damaged roots.</i>   | Re-inspect in 2 years.  |
| 2      | <b>Crape myrtle</b> | 12'            | 3 co-dominant stems at ground.   | <b>Re-inspect in 2 years.</b>                                       |
| 3      | Red maple           | 4" (5") (8")   | Okay for now. 2 co-dominant stems at 7'.                               | Re-inspect in 2 years.  |
| 4      | Red maple           | 4" (8")        | Okay for now. 2 co-dominant stems at 5'.                               | Re-inspect in 2 years.  |
| 5      | Red maple           | 4" (5.5") (8") | Okay for now. <i>Exposed/damaged roots. Open wound at base.</i>        | Re-inspect in 2 years. <i>Wound calloused over.</i>                 |
| 6      | <b>Hawthorne</b>    | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 7      | Red maple           | 3" (4.5") (7") | Okay for now. Adequate growing space.                                  | Re-inspect in 2 years.  |
| 8      | <b>Dogwood</b>      | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 9      | Red maple           | 4" (6") (8")   | 2 co-dominant stems at 5'. <i>Small co-dominant stem at 5'.</i>        | Remove smaller stem. <i>Prune small stem. Pruned.</i>               |
| 10     | <b>Dogwood</b>      | 4"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 11     | Red maple           | 4" (6") (9")   | Okay for now. 3 co-dominant stems at 6'. <i>Girdling root.</i>         | Re-inspect in 2 years. <i>Prune 2 smallest stems. Remove root.</i>  |
| 12     | Red maple           | 4" (5.5") (8") | Okay for now. Adequate growing space. <i>Co-dom stems at 5'.</i>       | Re-inspect in 2 years.  |
| 13     | Kwansan cherry      | 3" (4.5") (7") | Okay for now. <i>Co-dominant stems at 4'.</i>                          | Re-inspect in 2 years.  |
| 14     | <b>Hawthorne</b>    | 2"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 15     | <b>Red maple</b>    | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 16     | <b>Crabapple</b>    | 2"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 17     | <b>Hornbeam</b>     | 4"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 18     | <b>Crape myrtle</b> | 12'            | 3 co-dominant stems at ground.   | <b>Re-inspect in 2 years.</b>                                       |
| 19     | <b>Crape myrtle</b> | 12'            | 3 co-dominant stems at ground.   | <b>Re-inspect in 2 years.</b>                                       |
| 20     | <b>Red maple</b>    | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 21     | Red maple           | 3" (4") (7")   | Bark wound at base. Okay for now. 3 co-dom stems at 5'.                | Re-inspect in 2 years. <i>Wound calloused over.</i>                 |
| 22     | Red maple           | 4" (5") (7")   | Okay for now. 1 large exposed/damaged root. <i>Co-doms at 7'.</i>      | Re-inspect in 2 years.  |
| 23     | Red maple           | 4" (5") (8")   | Okay for now. <i>Exposed root. 2 co-doms at 5'.</i>                    | Re-inspect in 2 years.  |
| 24     | Red maple           | 4" (6") (9")   | 4 co-dominant stems at 4'. Okay for now. <i>Exposed/damaged roots.</i> | Re-inspect in 2 years. <i>Prune stem over driveway. Not pruned.</i> |
| 25     | <b>Hornbeam</b>     | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |
| 26     | Red maple           | 3" (5.5") (6") | 2 co-dominant stems at 3'. 2 co-dominant stems at 5'.                  | Prune smaller stem. <i>Not pruned. Pruned.</i>                      |
| 27     | Red maple           | 4" (6") (8")   | Okay for now. 2 co-dominant stems at 6'.                               | Re-inspect in 2 years.  |
| 28     | Red maple           | 3" (5") (8")   | Okay for now. 2 co-dominant stems at 5'.                               | Re-inspect in 2 years.  |
| 29     | <b>Dogwood</b>      | 3"             | <b>Good condition.</b>   | <b>Re-inspect in 2 years.</b>                                       |

LISTING OF TREES IN PHASE THREE OF THE GATES AT BOULDERCREST (May 2012 Re-inspection) - PAGE 2 of 2

| Tree # | Species              | DBH/Size       | Condition/Description  | Current Status-Recommendations                            |
|--------|----------------------|----------------|--|---|
| 30     | Red maple            | 3" (5") (7")   | 2 co-dominant stems at 5'.                                     | Remove. <i>Still in place.</i>                            |
| 31     | Red maple            | 4" (5") (8")   | Okay for now. 3 co-dominant stems at 4'.                       | Re-inspect in 2 years.                                    |
| 32     | Red maple            | 4" (5") (8")   | Okay for now. 2 co-dominant stems at 5'. 3 co-dom stems at 6'. | Re-inspect in 2 years. <i>Prune smaller stem. Pruned.</i> |
| 33     | <b>Hawthorne</b>     | 3"             | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 34     | <b>Trident maple</b> | 4"             | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 35     | Crape myrtle         | 5 stems        | 12' in height. Okay for now. <i>18' in height.</i>             | Re-inspect in 2 years. <i>Pruned.</i>                     |
| 36     | Crape myrtle         | 6 stems        | 12' in height. Okay. <i>18' in height.</i>                     | Leave. <i>Pruned.</i>                                     |
| 37     | Crape myrtle         | 5 stems        | 12' in height. Okay. <i>18' in height.</i>                     | Leave. <i>Pruned.</i>                                     |
| 38     | Silver maple         | 6" (8") (11")  | 2 co-dominant stems at 2'.                                     | Re-inspect in 2 years.                                    |
| 39     | <b>Hornbeam</b>      | 3"             | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 40     | Red maple            | 3" (5") (7")   | Okay for now. 4 co-dominant stems at 4'.                       | Re-inspect in 2 years.                                    |
| 41     | <b>Crape myrtle</b>  | 12'            | <b>One main stem.</b>  | <b>Re-inspect in 2 years.</b>                             |
| 42     | <b>Hornbeam</b>      | 3"             | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 43     | <b>Trident maple</b> | 2.5"           | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 44     | <b>Redbud</b>        | 1"             | <b>Good condition</b>  | <b>Re-inspect in 2 years.</b>                             |
| 45     | Silver maple         | 5" (5.5") (8") | 2 co-dominant stems at 3'. Okay for now. 3 co-dom stems at 6'. | Re-inspect in 2 years. <i>Smallest stem pruned.</i>       |
| 46     | Silver maple         | 4" (6") (9")   | 3 co-dominant stems at 3'. Okay for now. 2 co-dom stems at 3'. | Re-inspect in 2 years. <i>Smallest stem pruned.</i>       |

Notes - DBH is diameter at breast height measured at 4.5 feet above ground. *February 2009 updates are in red italics. May 2012 updates in blue.*  
**New trees are in bold (diameter is caliper which is measured at 6" above ground).**

MAP DEPICTING LOCATION OF TREES AT THE GATES AT BOULDERCREST  
PHASE 3 (MAY 2012)



Scale – 1 inch equals approximately 40 feet. Red numbers indicate trees to be removed.